VOLUME 64 · NUMBER 3 · SEPTEMBER 2022

PANMINERVA MEDICA



E D I Z I O N I · M I N E R V A · M E D I C A

PUBBLICAZIONE PERIODICA TRIMESTRALE - POSTE ITALIANE S.P.A. - SPED. IN A. P. D.L. 353/2003 (CONV. IN L. 27/02/2004 N° 46) ART. I, COMMA I, DCB/CN - ISSN 0031-0808 TAXE PERÇUE

EDITORIAL

Proposal for the enhancement of alcohology (prevention, treatment and rehabilitation of alcohol problems): the position of Società Italiana di Alcologia (SIA), Federazione Italiana degli Operatori dei Dipartimenti e dei Servizi delle Dipendenze (FeDerSerD) and Società Italiana Tossicodipendenze (SITD)

Teo VIGNOLI ^{1, 2}, Valeria ZAVAN ^{3, 4}, Edoardo COZZOLINO ⁵, Giovanni ADDOLORATO ^{4, 6, 7}, Maria F. AMENDOLA ^{2, 8}, Fabio CAPUTO ^{2, 9, 10}, Mauro CIBIN ^{4, 11}, Alfio LUCCHINI ⁵, Felice A. NAVA ^{5, 12, 13}, Rinaldo PELLICANO ¹⁴, Guido FAILLACE ^{5, 15}, Luigi STELLA ^{4, 16, 17}, Gianni TESTINO ^{2, 18} *

¹Unit of Addiction Treatment, Department of Mental Health and Addiction, Romagna Local Health Agency, Lugo, Ravenna, Italy; ²Società Italiana di Alcologia (SIA), Bologna, Italy; ³Alcohol Unit, Addiction Department, Local Health Agency, Alessandria, Italy; ⁴Società Italiana Tossicodipendenze (SITD), Cuneo, Italy; ⁵Federazione Italiana degli Operatori dei Dipartimenti e dei Servizi delle Dipendenze (FeDerSerD), Milan, Italy; ⁶Unit of Internal Medicine and Alcohol Related Diseases, Department of Medical and Surgical Sciences, Columbus-Gemelli Hospital, IRCCS A. Gemelli University Polyclinic Foundation, Rome, Italy; ⁷CEMAD Digestive Disease Center, IRCCS A. Gemelli University Polyclinic Foundation, Sacred Heart Catholic University, Rome, Italy; ⁸Alcohol Unit, Department of Mental Health and Addiction, Calabria Health Authority, ASP Cosenza, Cosenza, Italy; ⁹Department of Internal Medicine, Santissima Annunziata Hospital, University of Ferrara, Cento, Ferrara, Italy; ¹⁰Center for the Study and Treatment of Alcohol-Related Diseases, Department of Translational Medicine, University of Ferrara, Ferrara, Italy; ¹¹Soranzo Rehabilitation Center, Venice, Italy; ¹²Unit of Penitentiary Medicine and Drug Abuses, Padua, Italy; ¹³Health Care Unit Padua, Padua, Italy; ¹⁴Unit of Gastroenterology, Molinette Hospital, Turin, Italy; ¹⁵Pathological Addiction Services, Trapani Provincial Health Authority, Trapani, Italy; ¹⁶L. Donatelli Section of Pharmacology Department of Experimental Medicine, Faculty of Medicine and Surgery, Luigi Vanvitelli University of Campania, Naples, Italy; ¹⁷Unit of Addiction Treatment, ASL Napoli 3 Sud, Naples, Italy; ¹⁸Unit of Addiction and Hepatology, Alcohological Regional Center, ASL3 c/o Polyclinic San Martino Hospital, Genoa, Italy

*Corresponding author: Gianni Testino, Unit of Addiction and Hepatology, Alcohological Regional Center, ASL3 c/o Polyclinic San Martino Hospital, Piazzale R. Benzi 10, 16132 Genoa, Italy. E-mail: gianni.testino@asl3.liguria.it

Prevalence of alcohol use and alcohol use disorder (AUD) is high overall: mean lifetime prevalence of alcohol use worldwide is 80% and the average population lifetime of AUD is 8.6%. Alcohol consumption is responsible for over 200 diseases and for 14 different types of cancer involving every medical discipline; moreover, alcohol related problems and diseases represent a great burden from social and economic points of view, accounting 1.5-2.5% of Gross Domestic Product (*Prodotto Interno Lordo* [PIL]).

In the last decades there was a growing effort from international organization such as World Health Organization (WHO) to restrain alcohol abuse.^{4,5} Moreover, several institutional documents have been published also in Italy in order to translate international recommendations in specific action to promote alcohol abuse prevention treatment and rehabilitation,^{6,7} leading to a reduction in alcohol global consumption and in total alcohol consumers in Italy in the last 50 years.⁸ Moreover Italian parliament legislates on alcohol and alcohol problem with Law 125/2001⁹ defining important issues concerning public health, inpatient and outpatient treatment services and prison health. Unfortunately the recommendation of National Institute of Health (ISS) and the indication of Law 125/2001 were

frequently disregarded, and there are high levels of heterogeneity between regions¹⁰ and an insufficient attention to alcohol issue in socio-sanitary systems: only 10% of the 670,000 people affected by AUD are involved in outpatient treatment programs⁸ and less than 10% of the 8 millions of Italian people with hazardous drinking (binge drinking or high risk drinking) are intercepted by the sanitary system and have received a brief intervention on moderate drinking behaviour or quit drinking.¹¹

On the light of this considerations the scientific societies accredited by the Italian Health Ministry in the field of "alcohology" (Società Italiana di Alcologia [SIA], Federazione Italiana degli Operatori dei Dipartimenti e dei Servizi delle Dipendenze [FeDerSerD] and Società Italiana Tossicodipendenze [SITD]) created a board of expert to define specific actions to enhance Italian alcohology and to close the gaps between regions and services.

A peculiar characteristic of alcohology is the coexistence of many cultural aspects, able to interpret the phenomena of alcohol abuse from different points of view: social and sanitary, familiar and individual, physical and psychological, institutional and informal. This complexity has been translated in many different ways to approach alcohology, that have contaminated each other producing the best results when collaborating together in multidisciplinary network intervention. 12, 13 Many examples of this modality of work can be found: 1) the multiprofessional team of the addiction outpatient services (Servizi per le Dipendenze [SerD]); 2) the collaboration with associations (Alcoholic Anonymous [AA], Under treatment Alcoholics Association Club [ACAT], etc.) and with social services; 3) the multidisciplinary team work of inpatient health unit for detoxification; 4) the collaboration of alcohologist in the local health commission for the eligibility of driving license; and 5) the health multidisciplinary commission for liver transplantation eligibility etc.

Despite numerous excellence areas in the Italian territory, the rehabilitation network is not yet ubiquitous; thus, a specific effort in terms of resources and of continuing education is warranted. This is fundamental to revitalize formal and informal network dealing with alcohol problem: a specific plan of education and dialogue in all Italian territories is necessary to reconnect operators and volunteers of Social and Sanitary Public System, of cooperative and no-profit associations and of self-help group, to guarantee the dialogue between hospital, territorial services and rehabilitation residential programs and between disciplines (social science, toxicology, internal medicine, psychiatry,

psychology, counseling, public health, family medicine, pediatrics, gastroenterology, cardiology etc.).

In the light of this, from an organizational point of view, alcohology should be present both in hospitals for inpatient treatment and in territorial services for outpatient treatment. Despite the indications of Essential Level of Assistance (Presidential Law of Ministry Council 12/01/2017) and the indications included in Law 125/2001, the Health Italian System is deeply jeopardized with serious differences between territories that the regionalization of health competence has not helped to reduce. Thus, it is recommended the presence of alcohol dedicated beds in hospitals and of an Alcohology Unit in hospitals that represent a hub in each of the 20 Italian regions; it is also recommended that each healthcare authority provide the presence of an Alcohology Outpatient Treatment Unit to supervise alcohology local network. Moreover, in the contest of territorial medicine, alcohology should be considered a part of the addiction medicine, with his specific peculiarity, converging in the Addiction Department and avoiding the combination with psychiatry or disciplines other than addiction medicine, in order to preserve the over mentioned cultural peculiarity in everyday work.

Thinking about the engagement of the alcohology network a specific engagement should be profuse for the formation and integration of family doctors that should be the principal actors of early detection of AUD and hazardous drinking, and that should be the principal expert of brief intervention that has proven to be one of the most cost-effective interventions in alcohology¹⁴ despite being highly underutilized. Another sensible point of the alcohology network are self-help group and familiar communities that has demonstrated efficacy in the long term¹⁵ for alcohol recovery. Moreover, they are totally free for health service. However, they are still underused considering that only the 3% of AUD's patient are involved.

Another problem underlined by the board of expert is that the complexity of the interventions and of the network in alcohology and the absence of scientific recommendation produced by the Italian scientific societies, led to the heterogeneity of treatment and services organization. This determine inequity of the system and confusion in patients that are differently treated based on the service in which they are cared for. To avoid this problem, besides the already mentioned continuous education, the development of Italian scientific research on alcohol problems and the publication of Italian alcohology guidelines from scientific societies, jointly with the validation of Italian Health Institution, are warranted.

In the same direction of homogenizing the clinical practice in alcohology it is important to recognize in the Italian health system the discipline of Addiction Medicine, where alcohology it can be correctly represented. This is also important to give a common identity to professionals and to give a correct frame to new scientific research and updated clinical activity without which it is difficult to imagine sharing the same scientific culture. 16-18

Last but not least, in line with the indication of Law 125/2001, the board of experts specifies the importance to promote the institution of "alcohology" undergraduate teaching in medicine degree courses, to provide basic information on alcohology to all physicians in order to increase the recognition and treatment of alcohol abuse and AUD in total population.

References

- **1.** Glantz MD, Bharat C, Degenhardt L, Sampson NA, Scott KM, Lim CC, *et al.*; WHO World Mental Health Survey Collaborators. The epidemiology of alcohol use disorders cross-nationally: Findings from the World Mental Health Surveys. Addict Behav 2020;102:106128.
- **2.** Hendriks HF. Alcohol and Human Health: What Is the Evidence? Annu Rev Food Sci Technol 2020;11:1–21.
- **3.** Manthey J, Hassan SA, Carr S, Kilian C, Kuitunen-Paul S, Rehm J. What are the economic costs to society attributable to alcohol use? A systematic review and modelling study. PharmacoEconomics 2021;39:809–22.
- **4.** Global action plan for the prevention and control of noncommunicable diseases 2013–20. World Health Organization; 2013 [Internet]. Available from: hiips://www.who.int/publications/i/item/9789241506236 [cited 2022 Mar 24]
- **5.** Global alcohol action plan 2022-2030 to strengthen implementation of the global strategy to reduce the harmful use of alcohol. World Health Organization; [Internet]. Available from: https://cdn.who.int/media/docs/default-source/alcohol/action-plan-on-alcohol_first-draft-final_formatted.pdf?sfvrsn=b690edb0_1&download=trueù [cited 2022, Mar 24].
- **6.** Il Piano Nazionale Alcol e Salute (PNAS). Conferenza Stato-Regioni 29/03/2007. Salute Gov; 2007 [Internet]. Available form: hiips://www.

- salute.gov.it/imgs/C_17_pubblicazioni_623_allegato.pdf [cited 2022, Mar 24].
- 7. Prevenzione PN. (PNP) 2020-2025: Conferenza Stato-Regioni 06/08/2020. Salute Gov; 2020 [Internet]. Available form: hiips://www.salute.gov.it/imgs/C 17 notizie 5029 0 file.pdf [cited 2022, Mar 24].
- **8.** Relazione del Ministro della salute al Parlamento sugli interventi realizzati ai sensi della legge 30.3.2001 N. 125 in materia di alcol e problemi alcol correlati: anno 2019. Salute Gov; 2019 [Internet]. Available form: hiips://www.salute.gov.it/portale/documentazione/p6_2_2_1. jsp?lingua=italiano&id=2984 [cited 2022, Mar 24].
- 9. Law N. 125/2001 Legge quadro in materia di alcol e di problemi alcol correlati. Gazzetta Ufficiale; 2001 [Internet]. Available from: https://www.gazzettaufficiale.it/atto/serie_generale/caricaDettaglioAtto/originario?atto.dataPubblicazioneGazzetta=2001-04-18&atto.codiceRed azionale=001G0181&elenco30giorni=false [cited 2022, Mar 24].
- **10.** Statu Quo 2.0 Governance e management dei sistemi delle dipendenze. Politiche Antidroga; 2021 [Internet]. Available form: hiips://www.politicheantidroga.gov.it/media/3092/rapporto_status-quo-20_definitivo_v02pdf.zip [cited 2022, Mar 24].
- 11. PASSI project 2017-2020 (Progress by local health units towards a healthier Italy). Italian National Health Institute; 2020 [Internet]. Available form: hips://www.epicentro.iss.it/passi/[cited 2022, Mar 24].
- **12.** Magistri P, Marzi L, Guerzoni S, Vandelli M, Mereu F, Ascari F, *et al.* Impact of a Multidisciplinary Team on Alcohol Recidivism and Survival After Liver Transplant for Alcoholic Disease. Transplant Proc 2019:51:187–9
- **13.** Dionisi T, Mosoni C, Di Sario G, Tarli C, Antonelli M, Sestito L, *et al.* Make Mission Impossible Feasible: The Experience of a Multidisciplinary Team Providing Treatment for Alcohol Use Disorder to Homeless Individuals. Alcohol Alcohol 2020;55:547–53.
- **14.** O'Donnell A, Anderson P, Newbury-Birch D, Schulte B, Schmidt C, Reimer J, *et al.* The impact of brief alcohol interventions in primary healthcare: a systematic review of reviews. Alcohol Alcohol 2014:49:66–78.
- **15.** Kelly JF, Humphreys K, Ferri M. Alcoholics Anonymous and other 12-step programs for alcohol use disorder. Cochrane Database Syst Rev 2020:3:CD012880.
- **16.** Testino G, Bottaro LC, Patussi V, Scafato E, Addolorato G, Leone S, *et al.*; Study Committee of SIA (Società Italiana di Alcologia). Addiction disorders: a need for change. Proposal for a new management. Position paper of SIA, Italian Society on Alcohol. Minerva Med 2018;109:369–85.
- **17.** Testino G, Balbinot P, Pellicano R. Alcohology: a medical specialization in real practice. Minerva Med 2019;110:185–7.
- **18.** Patussi V, Fanucchi T, Marcomini F, Balbinot P, Testino G, Caputo F. Alcohol use disorders: illness or other? Panminerva Med 2019;61:429–31.

Conflicts of interest.—The authors certify that there is no conflict of interest with any financial organization regarding the material discussed in the manuscript.

Authors' contributions.—Teo Vignoli, Maria Francesca Amendola, Fabio Caputo, Gianni Testino, Luigi Stella and Guido Faillace have given substantial contributions to study conception, Teo Vignoli, Valeria Zavan, Edoardo Cozzolino, Giovanni Addolorato, Mauro Cibin, Alfio Lucchini, Felice Alfonso Nava and Patrizia Balbinot to study design and data collection, Teo Vignoli to manuscript writing, Rinaldo Pellicano to manuscript revision and editing. All authors read and approved the final version of the manuscript.

History.—Manuscript accepted: March 21, 2022. - Manuscript received: February 11, 2022.

(Cite this article as: Vignoli T, Zavan V, Cozzolino E, Addolorato G, Amendola MF, Caputo F, et al. Proposal for the enhancement of alcohology (prevention, treatment and rehabilitation of alcohol problems): the position of Società Italiana di Alcologia (SIA), Federazione Italiana degli Operatori dei Dipartimenti e dei Servizi delle Dipendenze (FeDerSerD) and Società Italiana Tossicodipendenze (SITD). Panminerva Med 2022;64:311-3. DOI: 10.23736/S0031-0808.22.04689-4)